



# Stoke Gabriel Primary School: Number & Calculation policy: Years 3 & 4

In Years 3 and 4, children develop more efficient written methods as their understanding of number and place value become more secure. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting.

**Key Vocabulary:**

rounding, partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

Years 3 & 4			
	Concrete	Pictorial	Abstract
Place value	<b>All children will be taught:</b>		
<b>Understanding 100s</b>	<p>Understand the cardinality of 100, and the link with 10 tens.</p> <p>Use cubes to place into groups of 10 tens.</p> 	<p>count in steps of 100.</p> <p>There are 100 sweets in each jar.</p> 	<p>Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.</p> 

**Understanding place value to 1,000**


Unitise 100s, 10s and 1s to build 3-digit numbers.



Use equipment to represent numbers to 1,000.

Hundreds	Tens	Ones

Represent the parts of numbers to 1,000 using a part-whole model.




$$215 = 200 + 10 + 5$$

Recognise numbers to 1,000 represented on a number line, including those between intervals.

**Understanding numbers to 10,000**

Use place value equipment to understand the place value of 4-digit numbers.




*4 thousands equal 4,000.*

Represent numbers using place value counters once children understand the relationship between 1,000s and 100s.



$$4,000 + 300 + 50 + 5 = 4,355$$

Understand partitioning of 4-digit numbers, including numbers with digits of 0.



$$5,000 + 60 + 8 = 5,068$$

Understand and read 4-digit numbers on a number line.



### Round to the nearest 10/100/1000

Say whether each number on the number line is closer to 500 or 600.

Round 535, 556 and 568 to the nearest 100  
Use the stem sentence: \_\_\_\_\_ rounded to the nearest 100 is \_\_\_\_\_.

Complete the table:

Start number	Rounded to the nearest 10
851	
XCVIII	

Round these numbers to the nearest 1,000

- Eight thousand and fifty-six
- 5 thousands, 5 hundreds, 5 tens and 5 ones
- 
- LXXXII


Complete the table.

Start number	Rounded to the nearest 10	Rounded to the nearest 100	Rounded to the nearest 1,000
4,999			
LXXXII			

44

### Adding 100s


Use known facts and unitising to add multiples of 100.



$$3 + 2 = 5$$

3 hundreds + 2 hundreds = 5 hundreds  
300 + 200 = 500

Use known facts and unitising to add multiples of 100.




$$3 + 4 = 7$$

3 hundreds + 4 hundreds = 7 hundreds  
300 + 400 = 700

Use known facts and unitising to add multiples of 100.

Represent the addition on a number line.

Use a part-whole model to support unitising.




$$3 + 2 = 5$$


$$300 + 200 = 500$$

### Subtracting 100s

Use known facts and unitising to subtract multiples of 100.




Use known facts and unitising to subtract multiples of 100.






$$4 - 2 = 2$$



$$400 - 200 = 200$$


Understand the link with counting back in 100s.



$$400 - 200 = 200$$

	$5 - 2 = 3$ $500 - 200 = 300$		Use known facts and unitising as efficient and accurate methods. I know that $7 - 4 = 3$ . Therefore, I know that $700 - 400 = 300$ .												
<b>Multiplying by multiples of 10 and 100</b>	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.   $3 \text{ groups of } 4 \text{ ones is } 12 \text{ ones.}$ $3 \text{ groups of } 4 \text{ tens is } 12 \text{ tens.}$ $3 \text{ groups of } 4 \text{ hundreds is } 12 \text{ hundreds.}$	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.   $3 \times 4 = 12$ $3 \times 40 = 120$ $3 \times 400 = 1,200$	Use known facts and understanding of place value and commutativity to multiply mentally.  $4 \times 7 = 28$ $4 \times 70 = 280$ $40 \times 7 = 280$ $4 \times 700 = 2,800$ $400 \times 7 = 2,800$												
<b>Addition</b>	<b>All children will be taught the column method. Manipulatives will be used to secure understanding. All children will be taught to add 1/10/100 without exchange and then add 1/10/100 with exchange</b>														
	<b>Concrete</b>	<b>Pictorial</b>	<b>Abstract</b>												
<b>3 / 4-digit number + 1s, no exchange or bridging</b>	Use number bonds to add the 1s.   $214 + 4 = ?$  <i>Now there are 4 + 4 ones in total.</i> $4 + 4 = 8$  $214 + 4 = 218$	Use number bonds to add the 1s.  <table border="1" data-bbox="900 933 1205 1177"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>4</td> <td>9</td> </tr> </tbody> </table> <div style="border: 1px solid orange; border-radius: 50%; padding: 10px; display: inline-block;">         Use number bonds to add the 1s.  <math>5 + 4 = 9</math> </div> $245 + 4$ $5 + 4 = 9$  $245 + 4 = 249$	H	T	O							2	4	9	Understand the link with counting on.  $245 + 4$   Use number bonds to add the 1s and understand that this is more efficient and less prone to error.  $245 + 4 = ?$  <i>I will add the 1s.</i> $5 + 4 = 9$
H	T	O													
															
															
2	4	9													

<p><b>3 / 4-digit number + 1s with exchange</b></p>	<p>Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten.</p> <p>Children should explore this using unitesed objects or physical apparatus.</p>	<p>Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understanding.</p> 	<p>So, <math>245 + 4 = 249</math></p> <p>Understand how to bridge by partitioning to the 1s to make the next 10.</p>  <p><math>135 + 7 = ?</math>  <math>135 + 5 + 2 = 142</math> Ensure that children understand how to add 1s bridging a 100.</p> <p><math>198 + 5 = ?</math>  <math>198 + 2 + 3 = 203</math></p>
<p><b>3-digit number + 10s, no exchange</b></p>	<p>Calculate mentally by forming the number bond for the 10s.</p> <p>Add 9 to 3041.</p> $3041 + 9 = \square$ <p style="text-align: center;">make 10</p> $3041 + 9 = 3040 + 10$  $3041 + 9 = 3050$	<p>Calculate mentally by forming the number bond for the 10s.</p> $98 + 4142 = \square$ <p style="text-align: center;">make 100</p> $98 + 4142 = 100 + 4140$ $= 4240$	<p>Calculate mentally by forming the number bond for the 10s.</p> <p><math>753 + 40</math></p> <p><i>I know that <math>5 + 4 = 9</math></i></p> <p>So, <math>50 + 40 = 90</math>  <math>753 + 40 = 793</math></p>
<p><b>3-digit number + 2-digit / 3 digit number, exchange required</b></p>	<p>Use place value equipment / grids to model addition and understand where exchange is required.</p>		<p>Use a column method with exchange. Children must understand how the method relates to place value at each stage of the calculation.</p>



There are 13 ones, so that is 1 ten and 3 ones. There are 14 tens so I will exchange.

$$\begin{array}{r} 300 + 50 + 2 \\ + 100 + 60 + 5 \\ \hline 500 + 10 + 7 = 517 \\ 100 \end{array}$$

H	T	O
100	40	5
+ 100	20	7
<hr/>		
200	60	12
272		

3	8	+
9	3	
<hr/>		
1	2	0
1	1	
<hr/>		
1	3	1

→ add the tens first  
→ then add the units

Use the expanded method of addition to support understanding.

H	T	O
2	7	5
+ 1	6	
<hr/>		
	1	1


H	T	O
2	7	5
+ 1	6	
<hr/>		
	9	1

H	T	O
2	7	5
+ 1	6	
<hr/>		
2	9	1

$$275 + 16 = 291$$

### Representing additions and checking strategies


Bar models may be used to represent additions in problem contexts, and to justify mental methods where appropriate.



Th	H	T	O
	7	9	9
+ 5	7	4	
<hr/>			
1	3	7	3

I chose to work out  $574 + 800$ , then subtract 1.

Use rounding and estimating on a number line to check the reasonableness of an addition.









$$912 + 6,149 = ?$$







I used rounding to work out that the answer should be approximately  $1,000 + 6,000 = 7,000$ .

### Subtraction

All children will be taught column subtraction. Place value equipment will be used to represent subtractions and support mathematics where necessary. Other methods may also offer support to secure knowledge and skills.

All children will be taught to subtract without exchange and then subtract with exchange																					
	Concrete	Pictorial	Abstract																		
<b>3-digit number – 1s, no exchange</b>	Use number bonds to subtract the 1s.  $214 - 3 = ?$  $4 - 3 = 1$ $214 - 3 = 211$	Use number bonds to subtract the 1s. <table border="1" data-bbox="907 311 1153 462"> <tr><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td></td><td></td></tr> <tr><td>3</td><td>1</td><td>9</td></tr> </table> $319 - 4 = ?$ <table border="1" data-bbox="907 566 1153 718"> <tr><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td></td><td></td></tr> <tr><td>3</td><td>1</td><td>9</td></tr> </table> $9 - 4 = 5$ $319 - 4 = 315$	H	T	O				3	1	9	H	T	O				3	1	9	Understand the link with counting back using a number line. $132 - 4$ 
H	T	O																			
3	1	9																			
H	T	O																			
3	1	9																			
<b>3-digit number – up to 3 / 4-digit number</b>	Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away. 	Represent the calculation on a place value grid. 	Use column subtraction to calculate accurately and efficiently. $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 7 \end{array}$ $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 47 \end{array}$ $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 647 \end{array}$																		
<b>3-digit number – up to 3-digit number,</b>	Use equipment to exchange 1 hundred for 10 tens, and 1 ten for 10 ones.	<i>Model the required exchange on a place value grid.</i>	Use column subtraction to work accurately and efficiently.																		

<p><b>exchange required</b></p>		<p><math>175 - 38 = ?</math>  <i>I need to subtract 8 ones, so I will exchange a ten for 10 ones.</i></p>	<table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td>1</td><td>7</td><td>5</td></tr> <tr><td>-</td><td></td><td>3</td><td>8</td></tr> <tr><td></td><td>1</td><td>3</td><td>7</td></tr> </table> <p><math>175 - 38 = 137</math></p>		H	T	O		1	7	5	-		3	8		1	3	7
	H	T	O																
	1	7	5																
-		3	8																
	1	3	7																
<p><b>Representing subtraction problems</b></p>		<p>Use bar models to represent subtractions.</p> <p>'Find the difference' is represented as two bars for comparison.</p> <div style="text-align: center;">  </div> <p>Bar models can also be used to show that a part must be taken away from the whole.</p>	<p>Children use alternative representations to check calculations and choose efficient methods.</p> <p>Children use inverse operations to check additions and subtractions.</p> <table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td>2</td><td>7</td><td>0</td></tr> <tr><td>+</td><td>2</td><td>5</td><td>5</td></tr> <tr><td></td><td>5</td><td>2</td><td>5</td></tr> </table> <p>I will check using addition.</p>		H	T	O		2	7	0	+	2	5	5		5	2	5
	H	T	O																
	2	7	0																
+	2	5	5																
	5	2	5																
<p><b>Multiplication</b></p>	<p><b>All children will be taught times tables to 12x12 and begin with formal written methods for short multiplication</b></p>																		
	<p><b>Concrete</b></p>	<p><b>Pictorial</b></p>	<p><b>Abstract</b></p>																
<p><b>Understanding equal grouping and repeated addition</b></p> <p><b>Using commutativity to support understanding</b></p>	<p>Children continue to build understanding of equal groups and the relationship with repeated addition.</p> <div style="text-align: center;">  </div>	<p>Children recognise that arrays demonstrate commutativity.</p> <div style="text-align: center;">  </div> <p><i>This is 3 groups of 4.</i></p>	<p>Children understand the link between repeated addition and multiplication.</p> <div style="text-align: center;">  </div> <p><i>8 groups of 3 is 24.</i></p> <p><math>3 + 3 + 3 + 3 + 3 + 3 + 3 + 3 = 24</math>  <math>8 \times 3 = 24</math></p>																

<p><b>of the times-tables</b></p>	<p>Children recognise that arrays can be used to model commutative multiplications.</p>  <p><i>I can see 2 groups of 6. I can see 6 groups of 2.</i></p> <p><math>2 \times 6 = 12</math>   <math>6 \times 2 = 12</math></p>	<p><i>This is 4 groups of 3.</i></p> <p><math>3 \times 4 = 12</math> <math>4 \times 3 = 12</math></p>	<p>A bar model may represent multiplications as equal groups.</p>  <p><math>6 \times 4 = 24</math></p>														
<p><b>Learning and understanding times-tables up to <math>12 \times 12</math></b></p>	<p>Learn times tables to <math>12 \times 12</math></p> <p>Understand the special cases of multiplying by 1 and 0.</p>  <p><math>5 \times 1 = 5</math>                      <math>5 \times 0 = 0</math></p>	<p>Represent the relationship between the <math>\times 9</math> table and the <math>\times 10</math> table.</p>  <p>Represent the <math>\times 11</math> table and <math>\times 12</math> tables in relation to the <math>\times 10</math> table.</p>  <p><math>2 \times 11 = 20 + 2</math> <math>3 \times 11 = 30 + 3</math> <math>4 \times 11 = 40 + 4</math></p>  <p><math>4 \times 12 = 40 + 8</math></p>	<p>Understand how times-tables relate to counting patterns.</p> <p>Understand links between the <math>\times 3</math> table, <math>\times 6</math> table and <math>\times 9</math> table <i><math>5 \times 6</math> is double <math>5 \times 3</math></i></p> <p><math>\times 5</math> table and <math>\times 6</math> table <i>I know that <math>7 \times 5 = 35</math> so I know that <math>7 \times 6 = 35 + 7</math>.</i></p> <p><math>\times 5</math> table and <math>\times 7</math> table <math>3 \times 7 = 3 \times 5 + 3 \times 2</math></p>  <p><math>\times 9</math> table and <math>\times 10</math> table <math>6 \times 10 = 60</math> <math>6 \times 9 = 60 - 6</math></p>														
<p><b>Multiplying a 2- and 3-digit number by a 1-digit number</b></p>	<p><math>56 \times 8 = 448</math></p> <table border="1" data-bbox="414 1348 622 1407"> <tr> <td>x</td> <td>50</td> <td>6</td> </tr> <tr> <td>8</td> <td>400</td> <td>48</td> </tr> </table> <p>= 448</p> <table border="1" data-bbox="929 1337 1303 1412"> <tr> <td>x</td> <td>100</td> <td>20</td> <td>5</td> </tr> <tr> <td>8</td> <td>800</td> <td>160</td> <td>40</td> </tr> </table> <p>= 1000</p>			x	50	6	8	400	48	x	100	20	5	8	800	160	40
x	50	6															
8	400	48															
x	100	20	5														
8	800	160	40														


**Multiplying a 2-digit number by a 1-digit number, expanded column method**

Use place value equipment to model how 10 ones are exchanged for a 10 in some multiplications.

$$3 \times 24 = ?$$

$$3 \times 20 = 60$$

$$3 \times 4 = 12$$



$$3 \times 24 = 60 + 12$$

$$3 \times 24 = 70 + 2$$

$$3 \times 24 = 72$$

Understand that multiplications may require an exchange of 1s for 10s, and also 10s for 100s.

$$4 \times 23 = ?$$

$$4 \times 20 = 80$$

$$4 \times 3 = 12$$

$$4 \times 23 = 92$$

Expanded multiplication method:

$$\begin{array}{r} 23 \\ \times 7 \\ \hline 21 \quad (3 \times 7) \\ \underline{140} \quad (20 \times 7) \\ 161 \end{array}$$

Multiplying a 3-digit number by a 1-digit number:

$$\begin{array}{r} 246 \\ \times 7 \\ \hline 42 \quad (6 \times 7) \\ 280 \quad (40 \times 7) \\ \underline{1400} \quad (200 \times 7) \\ 1722 \end{array}$$

Short multiplication method

	T	O
	3	4
x		5
1	7	0
1	2	

**Column multiplication for 2- and 3-digit numbers multiplied by a single digit**

Use place value equipment to make multiplications.  $26 \times 3$

Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.

Use the formal column method for up to 3-digit numbers multiplied by a single digit.

$$\begin{array}{r} 312 \\ \times 3 \\ \hline 936 \end{array}$$

Tens	Ones

There are  $3 \times 6$  ones... 18 ones  
 There are  $3 \times 2$  tens ... 6 tens  
 $18 + 60 = 78$

Tens	Ones

	T	O
	3	4
x		2
	6	8

**Division** All children will be taught short division method (bus stop)

**Concrete** **Concrete** **Concrete**

**Understanding the relationship between multiplication and division, including times-tables**

Use objects to explore families of multiplication and division facts.



$12 \div 3 = 4$        $3 = 12 \div 4$   
 $12 = 4 \times 3$        $3 \times 12 = 4$   
 $3 \div 4 = 12$        $3 \times 4 = 12$

Represent divisions using an array.



$24 \div 4 = 6$

Understand families of related multiplication and division facts.

*I know that  $5 \times 7 = 35$*

*so I know all these facts:*

$5 \times 7 = 35$   
 $7 \times 5 = 35$   
 $35 = 5 \times 7$   
 $35 = 7 \times 5$   
 $35 \div 5 = 7$   
 $35 \div 7 = 5$   
 $7 = 35 \div 5$   
 $5 = 35 \div 7$

**Dividing 2-digit and 3-digit numbers by a single digit by partitioning into 100s, 10s and 1s**

Partition into 10s and 1s to divide where appropriate.


$39 \div 3 = ?$



$39 = 30 + 9$

Partition into 100s, 10s and 1s using a part-whole model to divide where appropriate.

$142 \div 2 = ?$



$100 \div 2 = \square$      $40 \div 2 = \square$      $6 \div 2 = \square$

$$30 \div 3 = 10$$

$$9 \div 3 = 3$$

$$39 \div 3 = 13$$

Use Base 10 equipment to divide where appropriate.

$$100 \div 2 = 50$$



$$40 \div 2 = 20$$

$$6 \div 2 = 3$$

$$50 + 20 + 3 = 73$$

$$142 \div 2 = 71$$


**Dividing 2-digit and 3-digit numbers by a single digit, using short division**




**Understanding remainders**

Use place value equipment to find remainders.

*85 shared into 4 equal groups  
There are 24, and 1 that cannot be shared.*



Represent the remainder as the part that cannot be shared equally.



$$72 \div 5 = 14 \text{ remainder } 2$$

Understand how partitioning can reveal remainders of divisions.

$$80 \div 4 = 20$$

$$12 \div 4 = 3$$

$$95 \div 4 = 23 \text{ remainder } 3$$